CORRES. CONTROL INCOMING LTR NO.

017678894

DUE DATE

**ACTION** 

FERRERA, D.W

FRANZ, W.A HANNI, B.J.

HEALY, T.J.

KELL, R.E. KIRBY, W.A

MANN, H.P.

HEDAHL, T.G. HILBIG, J.G. HUTCHINS, N.M.

KUESTER, A.W

McKENNA, F.G.

MORGAN, R.V PIZZUTO, V.M.

POTTER, G.L. SANDLIN, N.B. SATTERWHITE, D.G

STIGER, S.G. SULLIVAN, M.T

SCHUBERT, A.L. SETLOCK, G.H.

SWANSON, E.R. WILKINSON, R.B. WILSON, J.M.

Bushy

MAHAFFEY, J.W.

DIST.
BERMAN, H.S.
CARNIVAL, G.J
COPP, R.D.
CORDOVA, R.C
DAVIS, J.G.



LTR ENC

## Department of Energy

ROCKY FLATS OFFICE P.O. BOX 928 GOLDEN, COLORADO 80402-0928



MAY A 2 1994

CORRESPONDED STATES 14-DOE-04392

Mr. Gary Kleeman U. S. Environmental Protection Agency 999 18th Street, Suite 500 Denver, Colorado 80202

Mr. Jeff Swanson
Engineer-Facilities Section
Hazardous Waste Control Program
Hazardous Waste and Waste Management Division
Colorado Department of Health
4300 Cherry Creek Drive South
Denver, Colorado 80222-1530

Gentlemen,

I am writing this letter regarding the transmittal of revised figures for Operable Unit No.13 Technical Memorandum (TM) No.1- Addendum to the Field Sampling Plan.

As per our March 28 meeting, enclosed are two sets of the revised figures. As you requested, additional radiological surveys are being conducted before determining final sample locations for Individual Hazardous Substance Sites 117.1 and 197. Provided there are no delays due to weather or security concerns, copies of Figure 3 will be forwarded to you by 1 June 1994. You will be notified via telephone if such delays occur.

Please replace the previous figures in Technical Memorandum No. 1 with the revised figures. If you have any questions please feel free to contact me at 966-4839 or Terry McLeod at 966-4767.

Sincerely,

Steve Slaten Project Manager

Environmental Restoration

CORRES CONTROL X X ADMN RECORD/080 X X PATS/ T130G

Reviewed for Addressee Corres. Control RFP

5/4/94 Cm

Ref Ltr. #

Enclosure

cc w/o Enclosure:

F. Lockhart, ER, RFFO

B. Peterman, EG&G

**ADMIN RECCRD** 

DOE ORDER # 5400.